

Aluminium – energy in solid state

Investor Relations Webinar Arvid Moss, EVP Energy June 9, 2015



Hydro aspiration translated into action in Energy

Better

- Realize full potential of strong asset base and competencies
- · Further improve operational and commercial performance
- Provide competitive global energy sourcing and competence

- Mature captive growth opportunities
- Raise income potential from market operations and commercial optimization
- Leverage value from Nordic power surplus

Bigger Greener

- Capitalize on strong climate position over time
- Capture value of the green certificate scheme in new growth projects
- Promote responsible energy policy in the regions where Hydro operates



Energy plays a key role in aluminium

Energy represents ~ 50 % of costs from bauxite to metal globally Power costs is a main differentiator on the aluminium cost curve Substantial changes in energy markets and prices over the last years

~50% of total smelter capacity ex-China is based on captive power sources

High volatility in energy and

power prices, combined with political risk for add-on costs makes commercial competence and stakeholder management critical

Forward trends

- High price volatility
- High uncertainty for future power price level
- Increasing captive share

Hydro Energy


- Strong captive foundation in Norway
- Adding value to business globally through market, policy and commercial competence



Industry perspective



Energy represents ~ 1/3 of smelter cost and ~ 50% of the total value chain cash cost




Total energy cost: ~50%

Percentages indicate share of respective input costs globally

Illustrative figures Source: CRU



Volatile energy prices around the globe last 15 years



Sources: NordPool, EEX, EIA



Stronger increase in contract prices than captive cost

585

2013


Smelters, world ex-China

100% captive

Non-captive

USD/mt

USD/mt



75%

Despite power cost increases also for captive, such plants have seen power costs **decline** as share of total cost

Non-captive have seen a very **rapid power cost increase** and costs as **share of total costs increasing** from an already high level






2003

330

Grid tariffs and "green costs" affect prices for consumers

Composition of residential electricity tariffs, 2008-2014 (EUR/MWh)



Germany

Changing European power markets

- Rising share of non-regulated power requires higher investments in stable and reliable grid
- European power market coupling and harmonizing efforts to reduce bottlenecks require grid developments
- Political targets for more renewable power and reduced CO2 emissions add cost pressure



Captive gaining share in primary metal production

Could increase to around 60 % towards 2030

Contract based Χ% Χ% Captive based ~60 % ~55 % ~50 % 2014 2020 2030

Primary production estimates, World ex. China (mtpy)

Source: Hydro Analysis

* Average semi-captive smelter has captive share of ~60 % (2014)




Dual mission



Energy has a dual mission in Hydro

Strong, sustainable value creator and energy provider throughout the value chain



To own, operate and maximize value of Hydro's energy assets



To provide competitive power sourcing and global energy competence




Hydro is second largest hydropower producer in Norway


But a net buyer of power globally

Norwegian power producers*

TWh normal production



Power production and consumption in Hydro smelters**




U Hydro

* Equity normal production

** Based on consolidated production in Hydro smelters, mid-2015

Hydro energy needs are spread across the value chain, global regions and energy carriers






Power producer



3

Hydro's 110-year history started with energy

Mission: to create a more viable society by developing natural resources and products in innovative and efficient ways





Value-creation in Energy

Key factors





Hydropower – flexible, competitive, renewable

Economies of scale and operational excellence




Reservoirs and dams



Tunnels and power stations

Total operating costs for Norwegian power producers

NOK/GWh






OPEX & taxes

*TRI rate (own employees) – cases per 1 million hours worked; 2014 **Source: EnergiNorge, H2 statistics for 2014

Sustaining capex above historical average

Peak in the rehabilitation cycle for an average plant every 40-60 years




Hydro Energy sustaining capex, MNOK



Sustaining CAPEX

Delivering value from growth

Green certificates for 15 years if production starts ahead of 2020






CAPEX and

Earnings for new GWh

Moderate Nordic power price level

Main price drivers from 2008 to 2015

Nordic system price and most important price drivers



- Hydrology is close to neutral in both 2008 and 2015
- Total Nordic nuclear is relatively similar in both years
- There are other drivers not included here, e.g. changes in renewable and thermal generation

	2008	2015
CO2 (2015 €/tonne)	24.3	6.9
Coal (2015 USD/tonne)	164	58
Demand (TWh)	403	390



Power Price

Nordic spot prices are highly volatile

Inter- and intra-year fluctuations and area price differences



Sources: Nordpool



Power Price

Nordic spot prices are highly volatile

Inter- and intra-year fluctuations and area price differences

Monthly Nordic system price, 2014 in key elspot areas for Hydro 1993-2015 EUR/MWh EUR/MWh 90 _____ 60 -80 -50 70 -40 60 -50 30 40 20 -30 20 10 -10 0 0 1993 2004 2015 11 21 26 31 36 6 16 41 1 46 51 NO2 2013 NO3 2013 Riukan/RSK Sunndal Sources: Nordpool

HYDRO

Power Price

Weekly spot prices year 2013 and

Nordic spot prices are highly volatile

Monthly Nordic system price,

Inter- and intra-year fluctuations and area price differences


1993-2015 EUR/MWh EUR/MWh 90 _____ 60 -80 -50 70 -40 60 -50 30 40 20 30 20 10 10 0 0 1993 2004 2015 16 21 26 11 31 36 1 6 41 46 NO2 2013 NO3 2013 NO2 2014 NO3 2014

Sources: Nordpool

Weekly spot prices year 2013 and 2014 in key elspot areas for Hydro

(23)






Power Price

Main drivers for short term volatility and regional price differences

Nordic hydrological balance*



Nordic power system map



- Hydrological balance in Nordic region (water and snow reservoirs)
- Nuclear power plant availability
- Transmission capacity in/out of Nordic region and between areas
- Growing amount of renewables (wind and solar)
- Temperature

Source: Thomson Reuters (Point Carbon)

* The hydrological balance in the Nordic power market is defined as the total deviation in snow- and water reservoirs when compared to the normal level for that particular time of the year.




Maximizing value from commercial operations

In the deregulated Nordic power market

- Hydro has one of the strongest commercial competence centers in the Nordic power market
- Commercial insight and risk competence from day-to-day asset optimization and trading
 - Key to understand market development and longterm sourcing

- Physical assets optimized in spot markets and balancing markets
 - Increasing balancing needs with renewables
 - Smelter consumption flexibility key to future power system operation
- Limited financial hedging and trading to reduce risk and to profit from market competence








Market pricing principle applied to internal contracts

Based on external price references



Norway up to 2020

1) Depending on the precipitation level, hydropower production may vary from 8 TWh in a dry year to 12 TWh in a wet year

- 2) Consumption in PM at current production levels and at full installed capacity (incl. Karmøy pilot plant)
- 3) Net spot sales vary depending on the power production level and internal consumption in PM

* Includes legacy external contracts



Expiring


and new contracts

Energy delivers stable earnings and cash flow

Lower risk profile compared to Hydro as a whole

Underlying EBIT Energy and Hydro Group

Quarterly average, 4 quarters rolling, NOK billion





Energy provider



4

Energy is adding value across the value chain

Commercial competence, analytical capability and market understanding







Global energy perspective

Special focus on markets and energy carriers in Nordics, Europe, Brazil

Operational and analytical expertize


Best-practice operations and global energy competence, insight and understanding

Commercial agility and experience

Maximizing value of equity power operations and sourcing at competitive terms



Hydro's sourcing platform in Norway



* Net 8 TWh captive assumed available for smelters



Utilizing historically low pricing environment

Recent long-term sourcing contracts in Norway




New sourcing contracts in 2014				
Agder Energi	1,0 TWh/yr	2021-2030		
Lyse	0,7 TWh/yr	2021-2030		
Ахро	0,5 TWh/yr	2021-2030		
Agder Energi	0,5 TWh/yr	2021-2030		

New sourcing contracts in 2015				
Lyse	0,33 TWh/yr	2031-2040		
Ахро	0,25 TWh/yr	2021-2030		
Eidsiva	0,30 TWh/yr	2021-2030		



Hydro's sourcing platform outside Norway





* Albras and Slovalco on 100% basis

Power market outlook




6

Main drivers for German power price level development

From 2008 to 2015

German price and most important price drivers




- Coal and CO₂ the main price drivers
- Growth in renewable power offsets reduction in nuclear capacity
- Changes in thermal generation fleet and transmission capacity not included in the illustration

	2008	2015
CO2 (2015 €/tonne)	24.3	6.9
Coal (2015 USD/tonne)	164	58
Demand (TWh)	528	515
Nuclear (TWh)	141	80
Renewable (TWh)	95	166



Carbon policy and effect on CO2-prices creates large uncertainty for the future market power price



Nordic power price and CO2 cost

Impact on market power price

- Strong market impact of CO2 price
 - 1 €/tonne increase in CO2 price results in ~ 0.7
 €/MWh increase in market power price
- Low CO2 price asymmetric risk


Impact on smelters

- In Europe indirect emission costs for smelters are 6-7 times higher that direct emission costs
- CO2 compensation scheme in EU/ Norway until 2020, expected to be prolonged until 2030
 - Compensation aimed at creating competitive playing field for a globally priced product



Source: Nord Pool Spot and EEX

Nordic power generation expected to increase more than demand



Global trends drive production and reduce energy needs






Source: Hydro Analysis

Brazilian power system

Hydropower based and interconnected transmission system








Source: www.ons.org.br

Closely following short and long-term developments in the Brazilian power market



- Historical PLD balancing prices, area North
- Low inflow to Brazilian hydropower plants for prolonged period
 - Strained supply situation, high balancing prices
- Recent improvements in the short term supply situation
 - Weak electricity demand due to high power prices and reduced GDP growth
 - Measures from authorities to secure supply
- Hydro optimizing total energy portfolio
 - Power supply
 - Albras long term contract until 2024
 - Paragominas/Alunorte short and mid term
 - Overall energy matrix optimization




Source: *CCEE, yearly average price area North

Norwegian reversal regime



Norwegian reversal regime

Private ownership not to exceed 1/3 in Norwegian waterfalls







* Reversion year

Broad optionality allows to maintain value of our assets within the reversal regime


Sell to a publicly owned entity

TWh





Merge into a larger publicly owned asset with one or several owners




- Retain full production as part of a larger asset
- Max 1/3 Hydro (private) ownership
- No reversion after such a transaction
- Need partner(s) with min 6 TWh to maintain equity volume



The diagrams on this slide are simplified for illustration purposes * Normal production

Several midsized, professional regional players

In addition, Statkraft has assets and ownership in several companies






Historical hydropower transactions in Norway

Price levels also reflect asset quality, reservoir capacity, concessions

Price, BNOK/TWh (nominal)

of transactions






Source: Pareto Securities

Energy in Hydro

Unique industry combination of operational and commercial competence



- Stable earnings and cash flows contribute to a low risk profile
- Active value creation and commercial optimization
- Internal power sales based on external price references
- Broad solution optionality for the RSK reversal regime

To own, operate and maximize value of Hydro's energy assets



- Support energy agendas of global operations across the value chain and energy carriers
- Secure competitive terms in increasingly volatile and uncertain power price environment
- Promote responsible energy policy in the EU and towards relevant national authorities

To provide competitive power sourcing and global energy competence



Investor Relations in Hydro



Pål Kildemo Head of Investor Relations

t: +47 970 96 711 e: pal.kildemo@hydro.com



Olena Lepikhina

Investor Relations Officer t: +47 96853035 e: olena.lepikhina@hydro.com

Next events Second Quarter Results July 21, 2015

For more information see www.hydro.com/ir



